

# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 5,000 Miles or 4 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 10,000 Miles or 8 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 7,500 Miles or 6 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

15,000 Miles or 12 Months	
15,000 Miles or 12 Months	
Replace engine oil and oil filter	Rotate tires
Lubricate propeller shaft (all 4WD except RAV4)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Automatic transmission fluid (Tundra)	<input type="checkbox"/> Front differential oil (all 4WD except RAV4)
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Limited-slip differential oil <sup>1</sup> (Land Cruiser, 4WD RAV4)
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Rear differential oil (all models except 2WD RAV4)
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive shaft boots (all 4WD models and 2WD RAV4)	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Exhaust pipes and mountings	
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect automatic transmission fluid (Land Cruiser, RAV4, Tacoma, 4Runner)	
Inspect engine air filter	
Inspect front differential oil (2WD and 4WD RAV4)	
Inspect nuts and bolts on chassis and body	
Replace automatic transmission fluid (Tundra)	
Replace front differential oil (all 4WD except RAV4)	
Replace rear differential oil (including limited-slip)	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 20,000 Miles or 16 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 25,000 Miles or 20 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 22,500 Miles or 18 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

30,000 Miles or 24 Months	
30,000 Miles or 24 Months	
Replace engine air filter	Replace engine oil and oil filter
Replace engine coolant	Rotate tires
Replace limited-slip differential oil (Land Cruiser) <sup>1</sup>	
Replace non-platinum spark plugs (Tacoma, Tundra, 4Runner) <sup>2</sup>	
Lubricate propeller shaft (all 4WD except RAV4)	
Lubricate wheel bearings (Tacoma 2WD)	
Lubricate wheel bearings and drive shaft bearings (Land Cruiser)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Fuel tank cap gasket
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Limited-slip differential oil (4WD RAV4) <sup>1</sup>
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Rear differential oil (all models except 2WD RAV4)
<input type="checkbox"/> Drive shaft boots (all 4WD models and 2WD RAV4)	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Exhaust pipes and mountings	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Front differential oil	<input type="checkbox"/> Transfer case oil (4WD models)
<input type="checkbox"/> Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses	<input type="checkbox"/> Transmission fluid or oil
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect nuts and bolts on chassis and body	
Replace front differential oil (2WD RAV4 and all 4WD)	
Replace rear differential oil (including limited-slip)	
Replace transmission fluid or oil	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

<sup>2</sup> Required under the terms of the Emission Control Warranty

# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 35,000 Miles or 28 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 40,000 Miles or 32 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 37,500 Miles or 30 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

45,000 Miles or 36 Months	
45,000 Miles or 36 Months	
Replace engine oil and oil filter	Rotate tires
Lubricate propeller shaft (all 4WD except RAV4)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Automatic transmission fluid (Tundra)	<input type="checkbox"/> Front differential oil (all 4WD except RAV4)
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Limited-slip differential oil <sup>1</sup> (Land Cruiser, 4WD RAV4)
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Rear differential oil (all models except 2WD RAV4)
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive shaft boots (all 4WD models and 2WD RAV4)	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Exhaust pipes and mountings	
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect automatic transmission fluid (Land Cruiser, RAV4, Tacoma, 4Runner)	
Inspect engine air filter	
Inspect front differential oil (2WD and 4WD RAV4)	
Inspect nuts and bolts on chassis and body	
Replace automatic transmission fluid (Tundra)	
Replace front differential oil (all 4WD except RAV4)	
Replace rear differential oil (including limited-slip)	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 50,000 Miles or 40 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 55,000 Miles or 44 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 52,500 Miles or 42 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

60,000 Miles or 48 Months	
60,000 Miles or 48 Months	
Replace engine air filter	Replace engine oil and oil filter
Replace engine coolant	Rotate tires
Replace limited-slip differential oil (Land Cruiser , RAV4) <sup>1</sup>	
Replace platinum spark plugs (RAV4) <sup>2</sup>	
Replace non-platinum spark plugs (Tacoma, Tundra, 4Runner) <sup>2</sup>	
Lubricate propeller shaft (all 4WD except RAV4)	
Lubricate wheel bearings (Tacoma 2WD)	
Lubricate wheel bearings and drive shaft bearings (Land Cruiser)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Exhaust pipes and mountings
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Front differential oil
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Fuel tank cap gasket
<input type="checkbox"/> Charcoal canister	<input type="checkbox"/> Rear differential oil (all models except 2WD RAV4)
<input type="checkbox"/> Drive belts	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive shaft boots (all 4WD models and 2WD RAV4)	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Engine valve clearance	<input type="checkbox"/> Transfer case oil (4WD models)
<input type="checkbox"/> Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses	<input type="checkbox"/> Transmission fluid or oil
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect nuts and bolts on chassis and body	
Replace front differential oil (2WD RAV4 and all 4WD)	
Replace rear differential oil (including limited-slip)	
Replace transmission fluid or oil	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

<sup>2</sup> Required under the terms of the Emission Control Warranty

<sup>3</sup> Inspect at 60,000 miles or 72 months, whichever comes first.

Required only for vehicles in California, Massachusetts and New York.

<sup>4</sup> Initial inspection at 60,000 miles. Inspect every 15,000 miles thereafter.



# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 65,000 Miles or 52 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 70,000 Miles or 56 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 67,500 Miles or 54 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

75,000 Miles or 60 Months	
75,000 Miles or 60 Months	
Replace engine oil and oil filter	Rotate tires
Lubricate propeller shaft (all 4WD except RAV4)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Automatic transmission fluid (Tundra)	<input type="checkbox"/> Front differential oil (all 4WD except RAV4)
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Limited-slip differential oil <sup>1</sup> (Land Cruiser, 4WD RAV4)
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Rear differential oil (all models except 2WD RAV4)
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive belts	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Drive shaft boots (all 4WD models and 2WD RAV4)	
<input type="checkbox"/> Exhaust pipes and mountings	
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect automatic transmission fluid (Land Cruiser, RAV4, Tacoma, 4Runner)	
Inspect engine air filter	
Inspect front differential oil (2WD and 4WD RAV4)	
Inspect nuts and bolts on chassis and body	
Replace automatic transmission fluid (Tundra)	
Replace front differential oil (all 4WD except RAV4)	
Replace rear differential oil (including limited-slip)	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 80,000 Miles or 64 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 85,000 Miles or 68 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 82,500 Miles or 66 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

90,000 Miles or 72 Months	
<b>90,000 Miles or 72 Months</b>	
Replace engine air filter	Replace engine oil and oil filter
Replace engine coolant	Rotate tires
Replace limited-slip differential oil (Land Cruiser) <sup>1</sup>	
Replace non-platinum spark plugs (Tundra, Tacoma, 4Runner) <sup>2</sup>	
Replace timing belt (except 4-cyl. Tacoma and 4Runner)	
Lubricate propeller shaft (all 4WD except RAV4)	
Lubricate wheel bearings (Tacoma 2WD)	
Lubricate wheel bearings and drive shaft bearings (Land Cruiser)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Front differential oil
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Fuel tank cap gasket
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Limited-slip differential oil (4WD RAV4) <sup>1</sup>
<input type="checkbox"/> Drive belts	<input type="checkbox"/> Rear differential oil (all models except 2WD RAV4)
<input type="checkbox"/> Drive shaft boots (all 4WD models and 2WD RAV4)	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Exhaust pipes and mountings	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses	<input type="checkbox"/> Transfer case oil (4WD models)
	<input type="checkbox"/> Transmission fluid or oil
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect nuts and bolts on chassis and body	
Replace front differential oil (2WD RAV4 and all 4WD)	
Replace rear differential oil (including limited-slip)	
Replace transmission fluid or oil	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

<sup>2</sup> Required under the terms of the Emission Control Warranty

# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 95,000 Miles or 76 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 100,000 Miles or 80 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 97,500 Miles or 78 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

105,000 Miles or 84 Months	
105,000 Miles or 84 Months	
Replace engine oil and oil filter	Rotate tires
Lubricate propeller shaft (all 4WD except RAV4)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Automatic transmission fluid (Tundra)	<input type="checkbox"/> Front differential oil (all 4WD except RAV4)
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Limited-slip differential oil <sup>1</sup> (Land Cruiser, 4WD RAV4)
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> Rear differential oil (all models except 2WD RAV4)
<input type="checkbox"/> Brake linings/drums and brake pads/discs	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Drive belts	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Drive shaft boots (all 4WD models and 2WD RAV4)	
<input type="checkbox"/> Exhaust pipes and mounting s	
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect automatic transmission fluid (Land Cruiser, RAV4, Tacoma, 4Runner)	
Inspect engine air filter	
Inspect front differential oil (2WD and 4WD RAV4)	
Inspect nuts and bolts on chassis and body	
Replace automatic transmission fluid (Tundra)	
Replace front differential oil (all 4WD except RAV4)	
Replace rear differential oil (including limited-slip)	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

# Maintenance Log. SUVs & Trucks

**5,000–Mile Maintenance Intervals**

**7,500–Mile Maintenance Intervals**

To determine the appropriate maintenance interval for your vehicle, see page 17.

## 110,000 Miles or 88 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 115,000 Miles or 92 Months

Replace engine oil and oil filter

### Additional Maintenance Items for Special Operating Conditions:\*

Inspect the following:

- |   |   |
|---|---|
| <input type="checkbox"/> Ball joints and dust covers              | <input type="checkbox"/> Engine air filter                  |
| <input type="checkbox"/> Brake linings/drums and brake pads/discs | <input type="checkbox"/> Nuts and bolts on chassis and body |
| <input type="checkbox"/> Drive shaft boots                        | <input type="checkbox"/> Steering wheel, linkage and boots  |

Rotate tires

Lubricate propeller shaft and re–torque bolt (all 4WD except RAV4)

Re–torque drive shaft bolt (4WD RAV4)

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

## 112,500 Miles or 90 Months

Replace engine oil and oil filter

Rotate tires

DEALER SERVICE VERIFICATION

Date: \_\_\_\_\_

Mileage: \_\_\_\_\_

\* Specific services apply to specific operating conditions. See pages 18–19 for details.

# Maintenance Log. SUVs & Trucks

120,000 Miles or 96 Months	
<b>120,000 Miles or 96 Months</b>	
Replace engine air filter	Replace engine oil and oil filter
Replace engine coolant	Rotate tires <sup>1</sup>
Replace limited-slip differential oil (Land Cruiser , RAV4) <sup>2</sup>	
Replace spark plugs (all models)	
Lubricate propeller shaft (all 4WD except RAV4)	
Lubricate wheel bearings (T acoma 2WD)	
Lubricate wheel bearings and drive shaft bearings (Land Cruiser)	
Re-torque drive shaft bolt (4WD RAV4)	
Re-torque propeller shaft bolt (all models except RAV4)	
Inspect the following:	
<input type="checkbox"/> Ball joints and dust covers	<input type="checkbox"/> Fuel lines and connections, fuel tank
<input type="checkbox"/> Brake lines and hoses	<input type="checkbox"/> band and fuel tank vapor vent
<input type="checkbox"/> Brake linings/drums and brake pads/discs <sup>3</sup>	<input type="checkbox"/> system hoses
<input type="checkbox"/> Charcoal canister	<input type="checkbox"/> Fuel tank cap gasket
<input type="checkbox"/> Drive belts	<input type="checkbox"/> Rear differential oil (all models
<input type="checkbox"/> Drive shaft boots (all 4WD models	<input type="checkbox"/> except 2WD RAV4)
<input type="checkbox"/> and 2WD RAV4)	<input type="checkbox"/> Steering gear box
<input type="checkbox"/> Engine valve clearance	<input type="checkbox"/> Steering wheel, linkage and boots
<input type="checkbox"/> Exhaust pipes and mountings	<input type="checkbox"/> transfer case oil (4WD models)
<input type="checkbox"/> Front differential oil	<input type="checkbox"/> Transmission fluid or oil
<b>Additional Maintenance Items for Special Operating Conditions:*</b>	
Inspect nuts and bolts on chassis and body	
Replace front differential oil (2WD RAV4 and all 4WD)	
Replace rear differential oil (including limited-slip)	
Replace transmission fluid or oil	

DEALER SERVICE VERIFICATION	Date: _____
	Mileage: _____



<sup>1</sup> If vehicle is equipped with limited-slip differential.

<sup>2</sup> Required under the terms of the Emission Control Warranty

<sup>3</sup> Inspect at 120,000 miles or 144 months, whichever comes first.  
Required only for vehicles in California, Massachusetts and New York.